TENDER DOCUMENT FOR FABRICATION & INSTALLATION OF TABLES, COMPUTER TABLES, CONFERENCE TABLE, LOW HEIGHT PARTITION, STORAGE, DOUBLE BED, SOFA, DRESSING TABLE & WARDROBE ETC.

SURVEY OF INDIA

(Department of Science & Technology)

O/o. Director, East U.P.G.D.C, Survey of India

'Manchitra Bhawan',

5, Vibhuti Khand,

Gomti Nagar, Lucknow. 226010

TENDER NOTICE

The Director, East UPGDC, Survey of India invites sealed tender up to 30-06-2014 (13:00 Hrs.) to be opened on 30-06-2014 (14:00 Hrs.) for the fabrication & installation of tables, computer tables, conference table, low height partition, storage, double bed, sofa, dressing table & wardrobe etc.

Tender document for the fabrication & installation of the items in office building of East U.P.G.D.C., Survey of India can be downloaded from the website **www.surveyofindia.gov.in.**

SURVEY OF INDIA (Department of Science & Technology)

TENDER DOCUMENT FOR

FABRICATION & INSTALLATION OF TABLES, COMPUTER TABLES, CONFERENCE TABLE, LOW HEIGHT PARTITION, STORAGE, DOUBLE BED, SOFA, DRESSING TABLE, WARDROBE ETC.

Advertisement No.: 2741 /11 – C, dated 05-06-2014

ADDRESS FOR CORRESPONDENCE

O/o. Director, East U.P.G.D.C, Survey of India
'Manchitra Bhawan',
5, Vibhuti Khand,
Gomti Nagar, Lucknow- 226010

PRE BID CONFERENCE - 19-06-2014 (14:00 Hrs)

LAST DATE OF SUBMISSION - 30-06-2014 (13:00 Hrs) or on any

preceding working days during

09:30 to 17:00 Hrs.

TECHNICAL BIDS TO BE OPENED ON - 30-06-2014, 14:00 hrs

PRICE BIDS TO BE OPENED ON - 02-07-2014, 14:00 hrs

SURVEY OF INDIA

(Department of Science & Technology)

TENDER DOCUMENT FOR FABRICATION & INSTALLATION OF TABLES, COMPUTER TABLES, CONFERENCE TABLE, LOW HEIGHT PARTITION, STORAGE, DOUBLE BED, SOFA, DRESSING TABLE, WARDROBE ETC.

1. PARTICULARS OF TENDER:

- (a) Item (i) Tables, computer tables, low height partition, storage, double bed, sofa, almirah, centre/side table, book shelf, dressing table & wardrobe is to be fabricated & installed in various rooms & sections along with wiring & sockets (only for computer tables) on ground, 1st, 2nd & 3rd floor of Survey of India office building at Lucknow. Please refer lay-out plans of office building enclosed as Annexure 'A' to 'F'.
 - (ii) Total quantity required (approximately)
 - (a) Table with side unit 23 Nos.
 - (b) (i) Table without side unit 06 Nos.
 - (ii) Table without side unit with low height partition 04 Nos.
 - (c) High/medium/low height storage unit As per lay-out plan
 - (d) Conference Table 01 No.
 - (e) Low height partition 04 Nos.
 - (f) Computer table with partition 04 Nos.
 - (g) Sofa-set
 - (i) Three seater 05 Nos. (one is sofa-cum bed)
 - (ii) Two seater 08 Nos.
 - (h) Side-table 17 Nos.
 - (i) Centre table 3 Nos.
 - (j) Double bed with mattress (Box type) 3 Nos.
 - (k) Wardrobe 02 Nos.
 - (I) Almirah 02 Nos.
 - (m) Dining table 01 No.
 - (n) Wardrobe with Dressing table as composite unit 02 Nos.
 - (o) Shoes rack 02 Nos.
 - (p) Book Shelf 02 Nos.
 - (q) Slant Book Display unit 01 No.
 - (r) Full Height Partition (MDF & Glass partition with Door) 01 No.

(b)	Designation and address of the Officer to whom the tenders are to be submitted :	Director, East UPGDC, Survey of India, 'Manchitra Bhawan' 5, Vibhuti Khand, Gomti Nagar, Lucknow-226010
(c)	Tender No. :	2741/ 11 – C
(d)	Pre Bid conference :	19-06-2014 (14:00 Hrs.)
(e)	Availability of tender document :	To be downloaded from website
	,	www.surveyofindia.gov.in.
(f)	Last date of receiving the tender :	30-06-2014 (13:00 Hrs.)
(g)	Place of receiving the tender :	Office of Director,
		East UPGDC, Survey of India, 'Manchitra Bhawan' 5, Vibhuti Khand, Gomti Nagar, Lucknow.
(g)	Date & time of opening of Technical : bids only	30-06-2014 (14:00 Hrs.)
(h)	Venue of Pre Bid conference:	Office of Director,
	& opening the tender	East UPGDC, Survey of India, 'Manchitra Bhawan' 5, Vibhuti Khand, Gomti Nagar, Lucknow.
(i)	Detailed description of stores :	Please see Annexure 'A' to 'F' and Para 1 & 2.
(j)	Total No. of pages in the tender :	23

1. Scope of work:

Technical specification of material used in fabrication of indented items and approximate sizes of items are as follows:-

SI.	Item	Size in mm	No.	Technical specification of the material used
No.	iteiii	3126 111 111111	of	for fabrication of items
140.			units	ioi labrication of items
1	Table with side unit	(i) Table: 1800 L X 1050 W X 1050 Ht. with Dia. 1350 mm & Side unit: 1350 L X 450 W X 750 Ht.	2	(i) It should have 36 mm thick pre-laminated (both side) MDF tabletop with edge banding. Table supported with 25 mm thick pre-laminated (both side) MDF gable ends & Modesty Panel. The round shape of table should have Top pre-laminated (both side) MDF gable ends & edge banding Dia (1350 mm) supported by SS Lag. (ii) Side unit should made of 18 mm thick pre-laminated MDF board with edge Banding. Storage should have Double shutters, shelf & lock.
		(ii) Table: 1800 L X 900 W X 750 Ht. with Dia. 1200 & Side unit: 1200 L X 450 W X 750 Ht. (iii) Table: 1800 L X 900 W X 750 Ht. & Side unit: 1200 L X 450 W X 750 Ht. (iii) Table: 1500 L X 750 W X 750 Ht. & Side unit: 900 L X 450 W X 750 Ht. (iv) Table: 1500 L X 750 W X 750 Ht. & Side unit: 1050 L X 450 W X 750 Ht. & Side unit: 1050 L X 450 W X 750 Ht.	2 4 13	(i) It should have 25 mm thick pre-laminated MDF tabletop with edge banding. Table supported with 18 mm thick pre-laminated MDF gable ends & Modesty Panel. The round shape of table should have Top pre-laminated (both side) MDF gable ends & edge banding Dia (1200 mm) supported by SS Lag. (ii) 16 table should have Keyboard tray & CPU tray. (iii) Side unit should made of 18 mm thick pre-laminated MDF board with edge banding & it should have double shutters, shelf & lock.
2	Table with -out side unit	(i) Computer Table: 1500 L X 600 D X 750 Ht. (ii) Table: 1500 L X 900 W X 750 Ht. (iii) Partition: Low ht. partition up to 1200 mm height. (Refer Annexure 'E' for layout & design)	4+4=8	(i) It should have 25 mm thick pre-laminated MDF tabletop with edge banding. Table supported with 18 mm gable ends & Side panel. It should have Mobile Pedestal with three Drawers of size: 400W X 450 D X 700 Ht.,Computer table It should have Keyboard tray & CPU tray. (ii) Aluminium section should be used of width 60 mm, thickness 1.2 – 1.5 mm & powder coated with 50 micron thickness having paint finish. The sections should be packed at bottom by metal plate to restrict the entry of rats, insects etc. (iii) Partition should be tile based partition panel. Two raceways cover at skirting level & below the table top. Partition panel should have

		(iv) Table: 1500 L X 900 D X 750 Ht. (v) Table: 1800 L X 900 D X 750 Ht. (vi) Table: 1200 L X 600 D X 750 Ht. (vii) Table: 1200 L X 450 D X 750 Ht	2 1 2 1	on pinup & writing board above the table top. (iv) MDF board of 9mm thickness should be used for front partition & 9mm toughened glass for side by side partition. (i) It should have 25 mm thick pre-laminated MDF tabletop with edge banding. Table supported with 18 mm thick pre-laminated MDF gable ends & Modesty Panel. (ii) Please refer Annexure 'B' for design of table under sl. No. (vi) & (vii).
3	Conference Table	Table: 6750 L X 1800 D X 750 Ht.	1	(i) It should have 25 mm thick pre-laminated MDF tabletop with edge banding. Table supported with 18 mm thick pre-laminated MDF gable ends & Modesty Panel with 4 popup box. (ii) It should have mike (audio system) and 3 socket (5 pin & 5/15 amp) per seat with necessary wiring.
4	Side Table	450 L X 450 W X 400 Ht.	17	Side Table should be made of Wooden and have 6mm thickness toughened glass on top.
5	Dining Table	3000 L X 900 W X 720 Ht.	1	It should have 25 mm thick pre-laminated MDF tabletop with edge banding. The Base is of wood of sufficient strength with polish.
6	Storage	Please refer lay-out plans of 1 st and 2 nd floor for size & lay-out.	As per lay- out plan	Storage should made of 18 mm thick pre- laminated MDF board with edge banding & it should have openable shelf with lock of reputed firm.
7	Book Shelf	1600 L X 300 W X 1200 Ht.	2	(i) It should be made of 18 mm thick pre- laminated MDF board with edge banding. It should have glass door, magnetic stopper & lock. (ii) Please refer Annexure 'D' for design.
8	Almirah	1460 X 400 W X 2100 Ht.	2	It should be made of 18 mm thick pre-laminated MDF board with edge banding. It should have double shutters, shelf & lock.
9	Double Bed (Box type) with mattress	1800 L X 1950 D X 450 Ht. & Back Side 900 mm Ht. 1800 L X 1500 D X 450 Ht. & Back Side 900 mm Ht.	2	 (i) Head Rest should be of 30 mm thick MDF & Foot Rest should be of MDF Ply 18 mm thick post-laminated both side. (ii) They should be box type & should have channel based opening. (iii) Mattress should be coir based of reputed firm.
10	Wardrobe	1800 L X 600 W X 2100 Ht.	2	Wardrobe should be made of 18 mm thick pre- laminated MDF board with edge Banding. It should have double shutters, shelf & lock.

11	Dressing table with wardrobe	(i) 1630 L X 450 W X 1800 Ht.	1	Wardrobe should be made of 18 mm thick pro- laminated MDF board with edge banding. should have double shutters, shelf & lock an			
	(Composite unit)	(ii) 2370 L X 450 W X 1800 Ht.	1	dressing table should have mirror & drawer.			
12	Sofa-set	(i) Three & Two seater Please refer lay-out plans of 1 st and 3 rd floor.	5+8 =13	(i) Sofa should be made of Seasoned Wood with Latherite Upholstery.(ii) One three seater sofa should be sofa-cum bed type. After opening its size should be 1550L X 1200 W X 450 Ht.			
13	Centre table	1200 L X 750 W X 450 Ht.	3	It should have Table top glass with SS Lag.			
14	Shoes Rack	900 L X 450 D X 900 Ht.	2	Shoes Rack should be made of 18 mm thick prelaminated MDF board.			
15	Low Height Partition	Up to 1200 mm (Refer Annexure 'E' for size, lay- out & design)	4	(i) Aluminium section should be used of width 60 mm, thickness 1.2 – 1.5 mm & powder coated with 50 micron thickness having paint finish. The sections should be packed at bottom by metal plate to restrict the entry of rats, insects etc. (ii) Partition should be tile based partition panel. Two raceways cover at skirting level & below the table top. Partition panel should have on pinup & writing board above the table top.			
16	Slant book display unit	6055 L X 400 W X 1800 Ht.	1	Display unit should be made of 18 mm thick pre- laminated MDF board with edge banding & it should have slant panel to display/ place the book/magazine.			
17	Full Height MDF & Glass Partition with Door	2000 L X 2500 Ht. (Refer Annexure 'A')	1	Full height partition with MDF board of thickness 12 mm upto 750 mm & rest with frosted Glass Tuffened. Aluminium section (if used) will have same specification of Low Height Partition under sl. No. 15.			

Note:

- Chairs shown in the lay-out plans of all the floors are not required. These are shown only for under-Storage units shown in lay-out plan of 3rd floor are not required. Standing available office space. 1.
- 2.
- The approximate size/dimension & location of all the items are shown in the lay-out plans 3. of Ground, 1st, 2nd & 3rd floor of office building. Sizes may vary depending upon the site restrictions or due to feasibility of source material and variation less than 10% in dimension, subject to its acceptability by SOI.
- MDF stands for medium density fiber board should be pre-laminated both side and of supreme quality with ISI mark.
- 5. All the table with side unit should have toughened glass top of 9 mm thickness of table size & two table's side unit of size 1350 L X 450 W X 750 Ht. should also have glass top of same quality.

2. Working Site:

The work site i.e. office building of East UPGDC, Survey of India is situated in between office of Commercial Tax Officers, Training centre & Ware Housing at 5, Vibhuti Khand, Gomti Nagar, Lucknow. For site visit, tendering firm may contact ASO, East UPGDC, Lucknow on 0522-2720634, 2720638. Firms are advised to visit site before submitting the bids.

3. Terms and conditions:

3.1 Pre- Bid Conference:

- (a) In Pre-Bid Conference interested bidder/tendering firm representative will come with colour design/layout of all the floors & all tendered items prepared at their end and samples of wooden materials used for fabrication of all the items, aluminium sections & toughened glass. However there is no limitation in using particular material. Firm's ideas for improved/better furniture shall be given due consideration.
- **(b)** Tendering firm may get clarify their doubts (if any) during the Pre-Bid Conference.
- (c) After Pre-Bid Conference design/layout of all the floors, specification of material used for fabrication & some terms & conditions may be altered or modified. The firm will submit their Technical & Financial Bid after Pre Bid Conference with detailed layout and coloured design.
- 3.2 Bid: The Tenders/Bids are to be submitted in two parts i.e. Technical & Price Bid:
- (a) Technical Bid: titled as TECHNICAL BID shall contain the complete Technical qualifications (detailed layout, variation in size from Tender document etc.) and commercial Bid Package with terms & conditions of supply etc. (except Price Schedule). Specimen Sample of quoted items (with suitable ref. No. or mark for identification) should also be submitted to ASO, East UPGDC, SOI, Lko.
- (b) Price Bid: titled as PRICE BID shall contain the Price Schedule duly filled in the prescribed Performa as given in enclosed Annexure 'G'. No commercial conditions shall be written under the Price Bid. Part (a) shall be marked on it in bold letters the words "TECHNICAL BID", while Part (b) shall be marked on it in bold letters the words "PRICE BID".

3.3 Eligibility Criteria:

The firm should have satisfactorily completed civil works (at least one of them in central Government/central autonomous body/central PSU/central undertaking body/state Govt. Dept./Educational Institutes) each costing minimum Rs. 10 Lakhs. (List should be enclosed in technical bid).

3.4 The **TECHNICAL BID** and **PRICED BID** shall be placed in separate envelopes. Each of these two sealed Envelopes containing the respective Bids shall carry on the face of it the Tender date, Name and Address of the Bidder / tendering firm. These two sealed envelopes / covers shall be put into an OUTER COVER and sealed. The OUTER COVER shall

only indicate the tender No. and dates of closing / opening PROMINENTLY alongwith the Address of Purchaser i.e. O/o.

Un-priced Bid/Technical Bid will contain details of specifications of each parts / items used for fabrication of all the items and electrical parts.

- 3.5 The PRICE BID will consist of price with detailed break-up of price including all type of taxes. Any other information which will have impact on price quoted must be included in the tender for Price Bid.
- **3.6** Each clause of the tender document should be thoroughly studied and tender submitted with Earnest Money and complete information / documents etc. to avoid unwanted correspondence after opening the tenders.
- 3.7 The items should fulfill the technical requirements shown in **Para 1** which may be modified after Pre-Bid Conference.
- 3.8 In case the Supplier is registered with DGS&D, New Delhi or small scale industries, a copy of latest valid certificate issued by DGS&D or Director, small Scale Industries is to be enclosed along with TECHNICAL BID.
- **3.9** Lay-out, top view & front view of the items clearly indicating the proposed installation must be enclosed with Technical Bid.
- **3.10** The tendering firm is advised to visit the site of work at his own cost and examine it and its surrounding to him, collect all information that he considers necessary for proper assessment of the prospective assignment.
- **3.11** The sample of minor items which were not approved during tendering process due to various reasons will be fitted during fabrication only after sample approved from Director, East UPGDC, Survey of India, Lucknow.
- **3.12** The bidder may furnish any additional information which they think necessary to establish his capabilities to successfully complete the envisaged work. They are, however, advised not to furnish superfluous information.
- **3.13** If any information furnished by the bidder/ tendering firm find incorrect immediately or later date, would render him liable to be debarred from tendering/taking up of the work in East UPGDC, Survey of India, Lucknow.
- **3.14** The application should be type-written; the applicant should sign each page of the application.
- **3.15** Overwriting should be avoided, correction, if any, should be neatly by crossing out, signed and re-writing. Use of fluid (whitener) is not allowed and such tender will be rejected. Paper of the tender document is numbered. Additional sheet if added by the bidder, should also be numbered by him.
- **3.16** Tendering firm must note that tender once submitted will not be altered for whatsoever reasons and should not have any scope of ambiguity, cutting or overwriting.

4.0 Method of application:

- **4.1** If the applicant is an individual, the application shall be signed by him above his full type-written name and current address.
- 4.2 If the applicant is a proprietary firm, the application shall be signed by the proprietor above his full type written name and the full name of his firm with its current address.
- 4.3 If the applicant is a firm in partnership, the application shall be signed by all the partners of the firm above their full type written names and current addresses or alternatively by a partner holding power of attorney for the firm. In the latter case a certified copy of the power of attorney should accompany the application. In both cases, a certified copy of the partnership deed and current addresses of all the partners of the firm should accompany the application.
- 4.4 If the applicant is a limited company or a corporation, the application shall be signed by a duly authorized person holding power of attorney for signing the application accompanied by a copy of the power of attorney. The applicant should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.

5.0 Validity of tender:

The tender should remain valid upto **9 months** from the date of issue of Tender Notice.

6.0 Opening of tender:

The authorized representatives with proper authority letter from the Manufacturers will only attend the opening of the tenders for **TECHNICAL BIDS** on 30-06-2014 (14:00 Hrs.). **PRICE BIDS** shall be opened tentatively on 02-07-2014 (14:00 Hrs.) in the presence of firms qualified in Technical Bid process, intimated separately by Fax/e-mail. Those Firms whose technical bids were accepted or declared qualified by the designated board, only their price bids shall be opened.

7.0 Earnest money:

Earnest Money of Rs. 50,000 in the shape of Fixed Deposit Receipt/Bank Draft or Cash Deposit/Bank Guarantee of any Nationalized Bank in favour of CP&AO, Dehradun must be enclosed only with **TECHNICAL BID** except those who are registered with the DGS&D, New Delhi, National Small Scale industries Corporation (NSIC) or the Ministry of Science & Technology of Survey of India. Tender without earnest money or with short fall in amount of Earnest Money will be rejected.

8.0 Return of earnest money:

The EMD of unsuccessful tendering firm will be returned with in **30 days** of the award of the contract.

9.0 Security deposit:

Earnest money deposited submitted by the selected / qualified tendering firm shall be treated as security deposit, which will be returned after the completion of work. An agreement as per **Annexure 'H'** of the Tender Document is also to be signed by the successful tendering firm at their cost on proper stamp paper. Performa for Bank Guarantee is enclosed as **Annexure – 'I'**.

10.0 Samples submitted after opening the tenders for **TECHNICAL BID** will be treated as late samples and will not be accepted under any circumstances.

11.0 Delivery:

The installation of all the items should be completed at Consignee's site within 45 days from the date of issue of supply order.

12.0 Insurance:

The supplier shall provide the transit insurance coverage if applicable for all risks till the supply is received by the ultimate consignee.

13.0 RATES & TAXES

- 13.1 The firm shall quote their rates in rupee for each & every item used for fabrication of tendered items which include all taxes, transportation, labour charges, installations and nothing extra shall be paid on any account. Service tax, VAT, if any should be mentioned clearly in rupees. (see para 3.5)
- **13.2** The rates must be quoted in both word and figure.

14.0 Inspection:

The final inspection of items fabricated will be carried out at the ultimate consignee's site only.

15.0 Guarantee:

The material used for fabrication of tendered items should have functional guarantee at least for 1 year from the date of completion of work.


16.0 Warranty:

The supplier will replace the defective material free of cost, if noticed within the warranty period. The warranty period should be mentioned in the technical bid.

- 17.0 The O/o Director, East UPGDC, Survey of India, Lucknow will not be responsible for non-receipt of any tender due to **postal delay.** Late tender will not be accepted in any case.
- **18.0** Quantity quoted in tender notice is approximate.
- 19.0 The survey of India reserves the right to reject / cancel all or any tender without assigning any reason thereof.
- **20.0** The firm should have their office at Lucknow.

CHECK LIST FOR TECHNICAL BID


- Design of tendered items (layout, top view, front view, side view etc.) clearly shows dimensions. Any variation in size from the dimensions quoted in Tender Notice must be specifically spell out.
- **2.** Complete technical specifications along with brochure / photograph/ coloured picture.
- **3.** Terms & conditions (including warranty and after sales service) of supply (except price schedule)
- 4. Specimen samples of item quoted (to be submitted to ASO, East UPGDC).
- **5.** Proof in support of para 3.8 of Tender Notice.
- **6.** FDR / Demand Draft / Bank Guarantee of Rs. 50,000 in favour of CP&AO, Dehradun as Earnest Money.
- 7. Analytical Report in support of technical specifications mentioned in Para 1. Any specifications not confirming to Para 1 should be clearly spelt out. Similarly additional features should also be emphasized.
- **8.** Any other condition, which firm may like to furnish.




Annexure "B"










Annexure – 'E'





BREAK-UP DETAILS OF PRICE FOR REQUIRED ITEMS

S. No.	Description	Rate Per Piece
1	Basic Sale Price	₹
2	Central Sales Tax @ %	₹
3	VAT @ %	₹
4	Any other tax @ %	₹
5	Insurance charges	₹
6	Packing charges, if any	₹
7	Transportation	₹
	Total Price	₹

Name & Seal of Manufacturer/Supplier/Tendering Firm

AGREEMENT

	An agreemen	t made this	day	
BETWEEN.				
one part a WHEREBY Survey of	ter called the cont and the President the contractor agr	ractor which expression sh of India (hereinafter calle ees to supply and install to called	all include his legal and the Government)	representatives) of the of the other part and
Name	e of Articles	Rate	To	otal Cost
a)	That all stores sha that all stores sup the sample subm	I conditions hereinafter me all be delivered free at oplied shall be new and of itted. on of the stores shall be ca	good quality and in	exact accordance with
	above and that the from the date of the lt not removed when shall have the right	Sazetted Officer deputed In the stores rejected must be rejection. All stores not acceptain the period specified along to dispose of such stores at or if he prefers to charge	removed by the conepted shall lie at the bove theas he thinks fit at the	ntractor within a week e risk of the contractor. e risk of the contractor
d)	should the contra specified in claus the right to forfo elsewhere which	delivery stated above sha actor fail to deliver the who e (a) and as per the samp eit the deposit mentioned the contractor has failed to e contractor will be liable t	le/ any part of the standard le thein clause (f) and to deliver as aforesaid	tores within the periodshall have o purchase the stores at the expenses of the

being taken under clause h) thereof.

to meet the difference of cost between the rates tendered and those at which the purchases are actually made should they be higher. This is without prejudice to action

- e) that the shall have full power to reject the whole or any part of the stores which to the true intent and meaning is not in exact accordance with the approved sample and that his decision shall be final.
- f) that the contractor will deposit a sum of as security for compliance with the terms and condition of this contract.
- g) that the contractor will be entirely responsible for the execution of this contractor in all respect in accordance with the conditions of this contract and shall not assign or sublet the same.
- i) If any dispute or difference shall arise including this contract the settlement of which is not hereinbefore provided for the same shall be referred to the arbitration of the Survey of General of India and if he is unable or unwilling to act as arbitrator to the arbitration, of any person nominated by him in writing and the decision of such arbitrator shall be final and binding on the parties to this contract.

In Witness whereof the parties have hereunto set their hands the day and year first above written.

BANK GUARANTEE BOND

	In consid	deration of th	ie Preside	nt of In	dia (h	ereinafte	r called	"the Gover	nment")
having agre	ed to exe	mpt				(h	ereinaft	er called "i	the said
contractor(s)" from the	e demand, u	nder the	terms a	and co	onditions	of an	Agreement	dated
	.made	between							and
		for fabi	rication &	installat	tion of	f tables, (compute	er table, cor	nference
table, low h	eight partiti	ion, storage,	beds, sofa	, dressi	ng tab	le, ward	robe etc	. (hereinaft	er called
"the said A	greement").	of security d	eposit for	the due	fulfill	ment by	the said	contractors	s) of the
terms and o	conditions co	ontained in th	ne said Ag	reemen	it, on	production	on of a	Bank Guara	ntee for
	(R	upees		0	nly). W	cand), Ve	idate the	e name of th	ne bank)
			(hereinaft	er refe	rred to	o as "the	e Bank"	at the red	quest of
		C	Contractor	(s) do h	ereby	undertak	e to pay	to the Gove	ernment
		ng			=				
		used to or suf			_	•		_	
		e terms or co							
,	,					J			
2. We (indicate the	name of the	Bank)				d	o hereby to	nav the
		e under this G							
		t the amount			•		•		
	_	d by the Gove		-	•		_		
		ement. Any s	-			=			-
=	_	yable by the E							_
Guarantee	shall	be	restric						
					to	a	11	amount	not
exceeding			•••••						
2 14/			•						1.
		pay to the		=		-			
•	•	ed by the cont	• •			•	•		_
-		relating there	eto: our li	ability ι	under	this Gua	irantee	being absol	ute and
unequivocal	•								
	· · ·	made by us u						_	=
	t there und	er and the co	ontractors) shall h	nave n	no claim	against	us for maki	ng such
payment.									
4. We.(indicate the	name of the	Rank)					furthe	ar agree
		in contained							
mat me duc	manice hele	iii containeu s	man reilla	IUII	1016	and che	ct auring	, are periou	triat

would be taken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of the Government under or by virtue of the said Agreement have been fully paid and its claim satisfied or discharged or till
We, (indicate the name of the Bank)
6. This Guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s)/ Supplier(s).
7. We, (indicate the name of the Bank)lastly undertake not to revoke this guarantee during its currency except with the previous consent of the Government in writing .
Dated day of for for (indicate the name of the Bank) .